

Expanded BRFSS, 2003

Rockland Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	1
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	9
Core 5: Asthma	10
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	21
Core 11: Mammography	23
Core 12: Sexual Behavior	25
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	31
Core 16: Colorectal Cancer Screening	37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Rockland

Demographic Groups	n ¹	Fair or Poor % ²	n	Good to Excellent %	C.I. ³
Total	69	11.4	559	88.6	3.0
Gender					
Male	30	13.4	224	86.6	5.1
Female	39	9.6	335	90.4	3.2
Age					
18-34	12	11.1	119	88.9	6.7
35-54	21	9.4	250	90.6	4.4
≥55	36	15.4	175	84.6	5.2
Education					
≤High School	38	22.4	139	77.6	7.6
>High School	31	6.6	418	93.4	2.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Rockland

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	48	7.2	575	92.8	2.2
Gender					
Male	12	5.2	241	94.8	3.1
Female	36	9.1	334	90.9	3.1
Age					
18-34	5	3.6	127	96.4	3.2
35-54	12	4.7	258	95.3	2.9
≥55	31	14.8	176	85.2	5.4
Education					
≤High School	21	10.8	154	89.2	5.0
>High School	26	5.6	419	94.4	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Rockland

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	50	8.1	573	91.9	2.7
Gender					
Male	20	9.4	231	90.6	4.7
Female	30	7.0	342	93.0	2.8
Age					
18-34	8	8.1	126	91.9	6.0
35-54	28	9.6	239	90.4	4.5
≥55	13	6.1	195	93.9	3.7
Education					
≤High School	26	16.3	150	83.7	7.2
>High School	24	4.6	420	95.4	2.1

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	441	85.2	53	14.8	4.3
Gender					
Male	173	79.4	26	20.6	7.6
Female	268	90.6	27	9.4	3.8
Age					
18-34	103	73.3	30	26.7	9.5
35-54	255	89.3	20	10.7	5.0
55-64	83	97.7	3	2.3	2.6
Education					
≤High School	96	67.9	31	32.1	10.5
>High School	344	92.9	21	7.1	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	578	87.4	56	12.6	3.6
Gender					
Male	227	82.9	26	17.1	6.5
Female	351	91.5	30	8.5	3.2
Age					
18-34	103	73.3	30	26.7	9.5
35-54	255	89.3	20	10.7	5.0
≥55	206	97.1	6	2.9	2.4
Education					
≤High School	146	73.3	33	26.7	8.8
>High School	430	93.9	22	6.1	2.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	551	85.7	75	14.3	3.4
Gender					
Male	207	79.7	43	20.3	6.0
Female	344	91.2	32	8.8	3.3
Age					
18-34	108	78.8	24	21.2	8.3
35-54	227	83.0	41	17.0	5.5
≥55	203	95.9	8	4.1	3.1
Education					
≤High School	152	82.9	23	17.1	7.4
>High School	396	86.8	52	13.2	3.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	37	6.5	596	93.5	2.5
Gender					
Male	12	6.2	243	93.8	4.0
Female	25	6.7	353	93.3	2.9
Age					
18-34	12	10.7	121	89.3	6.6
35-54	18	6.6	257	93.4	3.6
≥55	7	2.6	204	97.4	2.2
Education					
≤High School	17	9.8	162	90.2	5.3
>High School	20	5.0	431	95.0	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	456	72.0	179	28.0	4.0
Gender					
Male	191	73.7	64	26.3	6.3
Female	265	70.4	115	29.6	5.1
Age					
18-34	96	72.9	38	27.1	8.6
35-54	207	74.0	68	26.0	6.0
≥55	143	68.3	69	31.7	7.0
Education					
≤High School	103	56.8	76	43.2	8.7
>High School	352	79.0	101	21.0	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	43	6.6	591	93.4	2.3
Gender					
Male	24	9.4	230	90.6	4.2
Female	19	4.1	361	95.9	1.9
Age					
18-34	1	2.0	132	98.0	3.9
35-54	13	6.1	261	93.9	3.6
≥55	27	11.4	185	88.6	4.5
Education					
≤High School	19	10.7	159	89.3	5.5
>High School	24	4.9	429	95.1	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	61	8.3	572	91.7	2.2
Gender					
Male	19	6.9	234	93.1	3.2
Female	42	9.6	338	90.4	3.1
Age					
18-34	11	6.9	123	93.1	4.3
35-54	27	9.3	246	90.7	3.7
≥55	21	8.2	190	91.8	3.7
Education					
≤High School	15	7.2	164	92.8	4.0
>High School	46	8.8	405	91.2	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	43	6.1	588	93.9	2.0
Gender					
Male	11	4.0	241	96.0	2.5
Female	32	7.9	347	92.1	2.9
Age					
18-34	7	3.9	127	96.1	3.1
35-54	22	7.9	250	92.1	3.6
≥55	14	6.0	196	94.0	3.3
Education					
≤High School	9	4.9	169	95.1	3.5
>High School	34	6.6	416	93.4	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	188	26.0	447	74.0	3.7
Gender					
Male	58	20.0	197	80.0	5.2
Female	130	31.6	250	68.4	5.1
Age					
18-34	8	5.4	126	94.6	4.1
35-54	62	20.6	213	79.4	5.2
≥55	116	54.4	95	45.6	7.5
Education					
≤High School	62	27.4	116	72.6	7.1
>High School	125	25.5	329	74.5	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Rockland

Demographic Groups	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	188	26.1	3.7	80	13.0	3.0	363	60.9	4.3
Gender									
Male	58	20.1	5.2	37	15.1	5.0	158	64.9	6.5
Female	130	31.7	5.1	43	11.1	3.5	205	57.2	5.5
Age									
18-34	8	5.4	4.1	20	15.6	7.0	106	79.1	7.8
35-54	62	20.7	5.2	41	16.0	5.0	171	63.4	6.4
≥55	116	54.4	7.5	19	7.1	3.4	76	38.5	7.4
Education									
≤High School	62	27.5	7.1	28	16.8	6.5	87	55.7	8.6
>High School	125	25.6	4.4	52	11.4	3.3	274	63.0	4.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	276	42.3	356	57.7	4.4
Gender					
Male	129	50.3	124	49.7	7.0
Female	147	35.0	232	65.0	5.2
Age					
18-34	38	29.2	96	70.8	9.0
35-54	117	43.2	157	56.8	6.7
≥55	114	53.8	95	46.2	7.5
Education					
≤High School	83	46.5	94	53.5	8.8
>High School	193	40.8	259	59.2	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	100	16.0	532	84.0	3.3
Gender					
Male	48	19.5	205	80.5	5.6
Female	52	12.8	327	87.2	3.7
Age					
18-34	22	13.5	112	86.5	6.1
35-54	52	21.0	222	79.0	5.9
≥55	24	11.5	185	88.5	4.8
Education					
≤High School	33	19.9	144	80.1	7.1
>High School	67	14.5	385	85.5	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking**Rockland**

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	67	10.6	2.7	33	5.5	2.1	532	84.0	3.3
Gender									
Male	31	12.3	4.5	17	7.3	3.9	205	80.5	5.6
Female	36	9.1	3.2	16	3.8	2.0	327	87.2	3.7
Age									
18-34	13	8.3	5.1	9	5.2	3.6	112	86.5	6.1
35-54	38	14.8	4.9	14	6.2	3.9	222	79.0	5.9
≥55	16	7.5	3.9	8	4.0	2.9	185	88.5	4.8
Education									
≤High School	23	14.1	6.1	10	5.8	4.4	144	80.1	7.1
>High School	44	9.1	2.9	23	5.3	2.4	385	85.5	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies**Rockland**

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	480	77.4	3.7	55	8.3	2.4	97	14.4	3.1
Gender									
Male	191	77.3	5.8	23	8.8	3.8	40	13.9	4.8
Female	289	77.4	4.7	32	7.8	3.0	57	14.7	3.9
Age									
18-34	101	77.1	8.2	11	6.8	4.6	22	16.0	7.3
35-54	216	80.5	5.2	27	9.4	3.9	30	10.1	3.8
≥55	152	73.2	6.6	16	8.5	4.2	42	18.4	5.6
Education									
≤High School	128	73.5	7.6	16	8.8	4.7	35	17.7	6.7
>High School	349	78.9	4.1	39	8.1	2.8	62	13.0	3.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	103	17.1	531	82.9	3.5
Gender					
Male	51	21.8	203	78.2	6.1
Female	52	12.7	328	87.3	3.7
Age					
18-34	24	17.2	110	82.8	7.7
35-54	46	19.0	227	81.0	5.7
≥55	29	13.3	183	86.7	5.0
Education					
≤High School	36	23.5	143	76.5	8.0
>High School	67	14.4	385	85.6	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	66	11.9	557	88.1	3.0
Gender					
Male	42	18.1	209	81.9	5.5
Female	24	6.1	348	93.9	2.7
Age					
18-34	22	17.9	106	82.1	7.7
35-54	28	10.0	243	90.0	4.0
≥55	16	9.6	195	90.4	4.7
Education					
≤High School	25	16.4	149	83.6	6.7
>High School	41	10.0	406	90.0	3.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	29	4.7	601	95.3	1.9
Gender					
Male	14	6.5	237	93.5	3.5
Female	15	3.2	364	96.8	1.7
Age					
18-34	7	5.4	123	94.6	4.2
35-54	12	4.1	262	95.9	2.8
≥55	10	5.3	202	94.7	3.4
Education					
≤High School	10	6.5	167	93.5	4.4
>High School	19	4.0	432	96.0	1.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	331	55.8	260	44.2	4.6
Gender					
Male	169	69.1	74	30.9	6.8
Female	162	43.3	186	56.7	5.7
Age					
18-34	54	43.7	70	56.3	9.9
35-54	136	55.2	116	44.8	6.9
≥55	135	67.3	69	32.7	7.1
Education					
≤High School	102	59.4	62	40.6	9.1
>High School	227	54.4	197	45.6	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Rockland

Demographic Groups	n ¹	Underweight\ Normal % ²	C.I. ³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	260	44.2	4.6	223	38.0	4.4	108	17.8	3.5
Gender									
Male	74	30.9	6.8	120	48.5	7.1	49	20.6	5.7
Female	186	56.7	5.7	103	28.0	5.2	59	15.3	4.0
Age									
18-34	70	56.3	9.9	35	28.8	9.1	19	14.9	6.9
35-54	116	44.8	6.9	89	35.7	6.6	47	19.6	5.7
≥55	69	32.7	7.1	96	49.8	7.6	39	17.5	5.6
Education									
≤High School	62	40.6	9.1	66	38.4	8.6	36	21.0	7.2
>High School	197	45.6	5.3	155	37.7	5.2	72	16.7	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	230	91.8	20	8.2	4.0
Age					
40-64	157	91.3	15	8.7	4.9
≥65	73	92.8	5	7.2	6.5
Education					
≤High School	67	90.1	8	9.9	7.3
>High School	162	92.4	12	7.6	4.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	203	81.2	46	18.8	5.7
Age					
40-64	138	80.6	33	19.4	6.9
≥65	65	82.6	13	17.4	9.9
Education					
≤High School	61	83.9	14	16.1	8.6
>High School	141	80.1	32	19.9	7.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	50	12.4	423	87.6	3.8
Gender					
Male	17	10.1	175	89.9	5.6
Female	33	14.7	248	85.3	5.2
Age					
18-34	31	23.9	94	76.1	8.7
35-54	17	8.0	246	92.0	4.4
55-64	2	1.8	83	98.2	2.5
Education					
≤High School	21	20.6	101	79.4	9.2
>High School	27	8.0	322	92.0	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	355	84.5	85	15.5	3.6
Gender					
Male	152	86.9	31	13.1	5.1
Female	203	82.1	54	17.9	5.1
Age					
18-34	100	86.0	18	14.0	6.9
35-54	201	86.3	44	13.7	4.4
55-64	54	75.0	23	25.0	10.6
Education					
≤High School	90	89.1	18	10.9	6.1
>High School	264	82.9	66	17.1	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	87	22.9	281	77.1	5.0
Gender					
Male	41	25.4	118	74.6	7.8
Female	46	20.3	163	79.7	5.9
Age					
18-34	36	32.2	70	67.8	10.1
35-54	46	20.4	162	79.6	6.1
55-64	5	7.8	49	92.2	7.8
Education					
≤High School	21	23.1	71	76.9	10.5
>High School	66	23.0	209	77.0	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Rockland

Demographic Groups	n ¹	Use BC % ²	C.I. ³	n	No BC at risk %	C.I.	n	No BC %	C.I.
Total	176	56.3	6.2	68	22.5	5.3	72	21.2	5.1
Gender									
Male	90	54.4	8.5	37	23.2	7.3	43	22.4	7.0
Female	86	59.0	8.8	31	21.5	7.2	29	19.5	7.2
Age									
18-34	70	56.5	10.1	23	21.5	8.6	27	22.0	8.3
35-59	106	56.1	7.7	45	23.3	6.5	45	20.6	6.3
Education									
≤High School	48	56.6	12.3	20	26.8	11.2	16	16.7	9.3
>High School	127	56.2	7.1	48	20.8	5.7	55	23.0	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	41	5.5	576	94.5	1.8
Gender					
Male	23	7.9	224	92.1	3.3
Female	18	3.4	352	96.6	1.6
Age					
18-64	13	2.6	464	97.4	1.5
≥65	27	18.9	99	81.1	7.1
Education					
≤High School	11	4.6	161	95.4	3.0
>High School	30	6.0	412	94.0	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	30	4.3	587	95.7	1.6
Gender					
Male	18	6.3	229	93.7	3.0
Female	12	2.5	358	97.5	1.5
Age					
18-64	8	1.9	469	98.1	1.3
≥65	21	15.0	105	85.0	6.5
Education					
≤High School	7	2.9	165	97.1	2.4
>High School	23	4.9	419	95.1	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	106	68.7	53	31.3	7.9
Age					
40-64	67	62.5	45	37.5	9.8
≥65	39	85.2	8	14.8	10.3
Education					
≤High School	23	66.7	13	33.3	17.7
>High School	83	69.3	40	30.7	8.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	89	59.0	69	41.0	8.4
Age					
40-64	54	51.3	57	48.7	10.2
≥65	35	79.7	12	20.3	11.4
Education					
≤High School	18	55.3	18	44.7	18.4
>High School	71	60.2	51	39.8	9.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Rockland

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	127	79.0	33	21.0	6.9
Age					
40-64	82	73.3	31	26.7	8.9
≥65	45	94.7	2	5.3	7.2
Education					
≤High School	27	77.6	9	22.4	15.0
>High School	100	79.4	24	20.6	7.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	114	43.3	146	56.7	6.7
Gender					
Male	49	53.4	42	46.6	11.2
Female	65	36.0	104	64.0	7.9
Age					
50-64	52	36.9	85	63.1	9.0
≥65	62	50.9	61	49.1	9.7
Education					
≤High School	25	31.9	51	68.1	11.6
>High School	89	48.0	94	52.0	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	39	15.2	218	84.8	5.0
Gender					
Male	25	26.3	65	73.7	9.9
Female	14	7.1	153	92.9	3.8
Age					
50-64	16	12.0	119	88.0	6.3
≥65	23	19.1	99	80.9	7.8
Education					
≤High School	6	7.7	70	92.3	6.3
>High School	33	18.3	147	81.7	6.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	64	25.2	193	74.8	5.9
Gender					
Male	31	33.8	59	66.2	10.6
Female	33	18.9	134	81.1	6.4
Age					
50-64	31	21.8	104	78.2	7.7
≥65	33	29.2	89	70.8	9.0
Education					
≤High School	10	13.2	66	86.8	8.2
>High School	54	30.1	126	69.9	7.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	159	58.6	102	41.4	6.8
Gender					
Male	60	62.7	31	37.3	11.1
Female	99	55.6	71	44.4	8.4
Age					
50-64	73	51.9	65	48.1	9.4
≥65	86	66.6	37	33.4	9.5
Education					
≤High School	45	55.0	33	45.0	12.6
>High School	113	59.9	69	40.1	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	146	55.2	113	44.8	6.8
Gender					
Male	58	61.0	33	39.0	11.1
Female	88	50.9	80	49.1	8.5
Age					
50-64	68	49.6	69	50.4	9.4
≥65	78	61.9	44	38.1	9.6
Education					
≤High School	41	50.9	37	49.1	12.6
>High School	104	56.8	76	43.2	8.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Rockland

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	158	59.6	104	40.4	6.7
Gender					
Male	66	70.2	25	29.8	10.6
Female	92	52.0	79	48.0	8.4
Age					
50-64	74	53.1	64	46.9	9.4
≥65	84	67.4	40	32.6	9.1
Education					
≤High School	44	54.7	34	45.3	12.6
>High School	113	61.5	70	38.5	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval